

## Appendix A

Block # C-06-01

## Block Description: All land represented in Purple or White on the Powell Block Card Map

ZONE: GVC		Initial Attack Dispatch Guide		Representative Weather Station	
District	POWELL	** This is a guideline only. Fire managers and dispatchers will maintain flexibility in response as conditions warrant. **		RAWS ID	101031
RADIO INFORMATION		Transmit		Receive	Tones
Channel 1	Beaver Ridge Repeater	172.3750		171.5750	TX Tone 123.0
Channel 2	Bear Mountain Repeater	172.3750		171.5750	TX Tone 136.5
Channel 3	Diablo Mountain Repeater	172.3750		171.5750	TX Tone 131.8
Channel 4	Rocky Point Repeater	172.3750		171.5750	TX Tone 146.2
Objective: Control Fire spread					
ERC	STRATEGY				
0-12  Low	Appropriate Suppression Response	DUTY OFFICER ..... Considerations: <u>Launch:</u> Powell Engine or IA Module <u>Stand By:</u> Put Powell Engine or IA Module on Stand-By.			
13-36  Moderate	Appropriate Suppression Response	DUTY OFFICER ..... Considerations: <u>Launch:</u> Powell Engine and IA Module <u>Stand By:</u> Adjacent Engine / IA Modules and Forest Helicopter			
37-48  High	Appropriate Suppression Response	DUTY OFFICER ..... Considerations: <u>Launch:</u> Powell Engine, IA Module, Air Attack Platform, Forest Helicopter with bucket. <u>Stand By:</u> Adjacent Engines / IA Modules and 8 Smokejumpers			
49-56  Very High	Appropriate Suppression Response	DUTY OFFICER ..... Considerations: <u>Launch:</u> Powell Engine, IA Module, Air Attack Platform, Forest Helicopter with bucket. <u>Stand By:</u> Adjacent Engines / IA Modules and 8 Smokejumpers			

**GRANGEVILLE INTERAGENCY DISPATCH - STANDARD OPERATING PROCEDURES**

<b>56+ Extreme</b>	<b>Appropriate Suppression Response</b>	DUTY OFFICER ..... Considerations: <b><u>Launch:</u></b> Powell Engine, IA Module, Air Attack Platform, Forest Helicopter with bucket. <b><u>Stand By:</u></b> Adjacent Engines / IA Modules and 8 Smokejumpers (ICT3 Team configured load-i.e. ICT3, DIVS, DIVS, STCR, STCR, EMT, EMT)
------------------------	---	---

**Notify:**

- **Powell District Duty Officer**
- **Powell Line Officer or Acting**
- **If on private, Brian Disney (Assistant Manager of TWJ Holdings, LLC) (Work) 360-978-5208 or (CELL) 360-269-3131)**
- **If a Boundary Fire, the appropriate unit (i.e. Missoula District-LNF, Stevensville District-BNF, Lochsa District-CWF, North Fork District-CWF or Moose Creek District-NPF.**

**Special Considerations:**

- **Cross Check the location of the fire with those areas highlighted in APPENDIX A of the LOP. (Copy is attached)**
- **Roads in this Block are on cost-share agreements, therefore not all gates have a Forest Service Lock. May need Blue Key , Red Key or Super Red Key to gain access.**
- **Consider handshake MOU's with Bitterroot and Lolo National Forest for acquiring additional resources if needed.**
- **If fire escapes initial attack, consider ordering 8 Smokejumpers in ICT3 Team configuration with orders to establish *Command* and *Control* of incident personnel until the appropriate Incident Management Team (level of team appropriate to the Complexity Level of the Incident, i.e IMT3, IMT2, IMT1) arrives.**

## Appendix A

Block # C-06-02

## Block Description: All land represented in BLUE on the Powell Block Card Map

ZONE:		Initial Attack Dispatch Guide		Representative Weather Station	
District	POWELL	** This is a guideline only. Fire managers and dispatchers will maintain flexibility in response as conditions warrant. **		RAWS ID	
RADIO INFORMATION			Transmit	Receive	Tones
Mobile/Mobile					
Repeater -					
Repeater -					
Objective: Control Fire spread					
ERC	STRATEGY				
Low	Appropriate Management Response / WFU	DUTY OFFICER ..... Considerations: Duty Officer must go through the <i>Wildland Fire Implementation Plan</i> (WFIP) process before the <i>Appropriate Management Response</i> can be taken. District Line Officer has eight (8) hours to make decision once an accurate size-up of the fire has been attained. Duty Officer may request Forest Helicopter for Recon flight to attain this accurate size up.			
21-30 Moderate	Appropriate Management Response / WFU	DUTY OFFICER ..... Considerations: Duty Officer must go through the <i>Wildland Fire Implementation Plan</i> (WFIP) process before the <i>Appropriate Management Response</i> can be taken. District Line Officer has eight (8) hours to make decision once an accurate size-up of the fire has been attained. Duty Officer may request Forest Helicopter for Recon flight to attain this accurate size up.			
31-50 High	Appropriate Management Response / WFU	DUTY OFFICER ..... Considerations: Duty Officer must go through the <i>Wildland Fire Implementation Plan</i> (WFIP) process before the <i>Appropriate Management Response</i> can be taken. District Line Officer has eight (8) hours to make decision once an accurate size-up of the fire has been attained. Duty Officer may request Forest Helicopter for Recon flight to attain this accurate size up.			
51-65 Very High	Appropriate Management Response / WFU	DUTY OFFICER ..... Considerations: Duty Officer must go through the <i>Wildland Fire Implementation Plan</i> (WFIP) process before the <i>Appropriate Management Response</i> can be taken. District Line Officer has eight (8) hours to make decision once an accurate size-up of the fire has been attained. Duty Officer may request Forest Helicopter for Recon flight to attain this accurate size up.			

# GRANGEVILLE INTERAGENCY DISPATCH - STANDARD OPERATING PROCEDURES

<p>65 + Extreme</p>	<p>Appropriate Management Response / WFU</p>	<p>DUTY OFFICER ..... Considerations: Duty Officer must go through the <i>Wildland Fire Implementation Plan</i> (WFIP) process before the <i>Appropriate Management Response</i> can be taken. District Line Officer has eight (8) hours to make decision once an accurate size-up of the fire has been attained. Duty Officer may request Forest Helicopter for Recon flight to attain this accurate size up.</p>
-------------------------	--	--

## Notify:

- Duty Officer and / or Line Officer
- If fire is within 1 mile of border, notify neighboring District / Dispatch Office.

## Special Considerations:

- Cross Check the location of the fire with those areas highlighted in APPENDIX A of the LOP. (Copy is attached)
- If fire appears to be an immediate threat to a *Structure* or *Lookout*, consider ordering 8 Smokejumpers with orders to coordinate the implementation of Point Source Protection measures for the threatened structure (s) / Lookouts with the District Duty Officer. (May need to request to configure the cargo load for a Structure Protection Mission, i.e. Pumps, Hose, Structure Wrap, Staplers, etc.)
- Consider Aerial Support (i.e Helicopter with Bucket / Retardant) but remember: This will need prior approval from the District Line Officer or his / her Acting.